

MAINSAIL MEASUREMENT FORM



Yacht
Class
Sail No
Owner
Address
Tel. Day Tel. Evening.....

Please return completed form to:
Goacher Sails
Lowside
Bowness on Windermere
WINDERMERE
LA23 3DH
015394 88686
sg@goachersails.co.uk

Mainsail Hoist (P) =mm
Please state:
Measured to Black Band / Measured with main halyard pulled fully up please state.

Mainsail Foot (E) Measured from back of mast =
Please state:
Measured to Black Band / Measured to Max available foot length from back of mast

Reefs No Required = Reefing Horns - Distance to back of mast =.....
Battens Please state leech battens / leech battens & full length top / full length battens

Tack Pin Bearing Surface of mainsail tack eye to back of mast =mm
Bearing Surface of mainsail tack eye to above boom =mm
NB a tack shackle will pull backwards due to outhaul tension when sailing)
Sail entry above boom =mm

Mast State type if known
Please state if mainsail luff is connected with boltrope / slides
Luff boltrope outside diameter =mm
Luff slides type / dimensions =
Boom type if known
Please state if mainsail foot is connected with boltrope / slides
Foot boltrope outside diameter =mm
Foot slidetype / dimensions=
Please state masthead / fractional
If fractional, height of forestay above boom =mm
Hold main halyard against mast at gooseneck, pull taut and estimate prebend
with backstay released =

Spreaders
Length = = =
Height above boom = = =
Sweep back =
Are runners fitted Yes / No

Windows Genoa Leech Window Yes / No Boom Height Window Yes / No

Camber Stripes Yes / No

Remarks